



### RW 11 basic "Lab egg" creamy blue

Small-sized stirrer available in four attractive colors.

- Glass housing resistant to chemicals
- Max. stirring quantity 2 l (H<sub>2</sub>O)
- Incl. paddle stirrer R 1001 and extension arm

Accessories: R 1001 Paddle stirrer, R 1002 Screw-type stirrer, R 104 Stand

Technical Data	
Stirring quantity max. (H <sub>2</sub> O) [l]	2
Motor rating input [W]	8
Motor rating output [W]	1
Speed range [1/min]	0 - 2000
Viscosity max. [mPas]	100
Output max. at stirring shaft [W]	1
Permissible ON time [%]	100
Torque max. at stirring shaft [Ncm]	0.8
Torque max. at stirring shaft at 60 1/min (overload) [Ncm]	0.8
Torque max. at stirring shaft at 100 1/min [Ncm]	0.8
Torque max. at stirring shaft at 1.000 1/min [Ncm]	0.8
Speed control	stepless
Stirring element fastening	plug-in coupling
Plug-in coupling (Ø) [mm]	4
Hollow shaft (push-through $\checkmark$ when stopped)	none
Fastening on stand	integrated
Support rod diameter (with integrated fastening on stand) [mm]	10
Torque display	no
Nominal torque [Nm]	0.008
Dimensions (W x H x D) [mm]	86 x 89 x 175
Weight [kg]	0.39
Permissible ambient temperature [°C]	5 - 40
Permissible relative moisture [%]	80
Protection class according to DIN EN 60529	IP 42
RS 232 interface	no
Analog output	no
Voltage [V]	100 - 240
Frequency [Hz]	50/60
Power input [W]	8
<b>Ident. No.</b>	<b>2830004</b>